Best Available Copy

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

61-242607

(43) Date of publication of application: 28.10.1986

(51)Int.CI.

B01D 13/01 A61M 1/18

(21)Application number : **60-084505**

(71)Applicant: ASAHI CHEM IND CO LTD

(22)Date of filing:

22.04.1985

(72)Inventor: YOKOYAMA TAKAYUKI


KIKUCHI TOSHIAKI

(54) PREPARATION OF HOLLOW YARN TYPE MODULE HAVING SLIT

(57)Abstract:

PURPOSE: To easily form a slit penetrating through a bonded fixing part of a hollow yarn membrane by previously arranging a scarcely adhesive flexible body which has been formed to a same shape as a desired slit to the part for bonding, then removing the flexible body after curing the charged adhesive.

CONSTITUTION: A flexible body 2, such as polystyrene foam, comprising a scarcely adhesive material to an adhesive material to be used for bonding, formed to a same shape as a desired slit 7, is previously arranged together with a hollow yarn bundle 3 in a case 1. The adhesive material 6 is charged from a vessel 4 through a hose 5 into the case 1 and a bonded part is formed by the centrifugal bonding method. The flexible body 2



alone is removed from the bonded part after the adhesive material is cured. Thus, a slit 7 is formed to the part left after removal of the flexible body 2.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]